

SALES BROCHURE



INDEX



3	Bonart	Inserts
0		

- 4 NSK Ti-Max Z Series and X Series Handpieces
- 5 NSK S-Max and M Handpieces, Air Motors
- 6 NSK Pana Max Turbines, FX Series Contra Angles and Motors
- 7 NSK Varios Ultrasonic Scaler, Air Scalers, Endomate DT and TC2, Prophy-Mate NEO and Perio-Mate
- 8 Anthogyr Mont Blanc Surgery
- 9 Anthogyr Mont Blanc General Dental
- 10 Anthogyr Endo NiTi
- 11 Anthogyr Crown and Bridge remover and Amalgam Carriers
- 12 MIDMARK Newmed sterilisers
- 13 Mectron Scaling Units and Curing Lights
- 14 MK Dent Prime-Line
- 15 MK Dent Classic and Eco-Line
- 16 MK Dent Prophy-Line and Couplings
- 17 MK Dent Prime and Eco LS range
- 18 Bien Air Bora LED, Boraline Turbines and Black Pearl Eco Turbines
- 19 Bien Air Contra Angles, MCX LED and Electric Motors
- 20 Bien Air Optima MCX Air to Electric Motor Convertor and iCHIROPRO
- 21 MIDMARK Progeny Imaging & MIDMARK Elevance Chairs and Units
- 22 Star Dental Solara, 430
- 23 Star Dental Scaling
- 24 DTE Curing Lights , DPEX I Apex Locator and DPEX III Apex Locator
- 25 DTE Scaler Units
- 26 Woodpecker Scaler Accessories
- 27 Scaler Tips for EMS Woodpecker, DTE and Satelec
- 28 Scaler Tips for Sirona and Kavo
- 29 Bargain Basement
- 30 KaVo Master Series
- 31 KaVo Expert Series
- 32 KaVo Smart Series
- 33 KaVo Speciality
- 34 Maintenance
- 35 Maintenance
- 36 Acteon Products

EMS is a registered trademark of EMS Electro Medical Systems SA, Switzerland. Satelec is a registered trademark of Acteon Group, France. Kavo and Multiflex Lux are registered trademarks of Kaltenbach and Voigt GmbH & Co Germany. Sirona is a registered trademark of Sirona Dental Systems GmbH, Germany. NSK is a registered trademark of Nakanishi Inc., Japan. W&H is a registered trademark of W&H Dentalwerk Burmoos GmbH Austria. Bien Air is a registered trademark of Bien Air Dental SA Switzerland. Mectron is a registered trademark of Mectron SPA Genoa. Midmark is a registered trademark of Midmark Corporation. Anthogyr is a registered trademark of MK Dental Equipment Ltd is in no way affiliated with any of these companies.

0845 340 2293 www.mcdental.co.uk

CAVITRON STYLE INSERTS AT A FRACTION OF THE COST

BONART INSERTS

Bonart IF-50 Universal Insert REF: ART(25OR30K)INS01





The IF-50 series is our universal sized tip with a plastic grip. This tip is best for general scaling procedures. Compatible with most major brand magnet scalers.

CE and ISO certified

510K registered

Bonart IF-100 Slim Series Insert

REF: ART(25OR30K)INS03





The IF-100 series is a slim, internal flow, plastic grip insert. The slim tip is good for perio scaling of calculus on sensitive areas of the mouth. Compatible with most major brand magnetostrictive scalers.

CE and ISO certified

510K registered

Bonart IF-5 Flat (Beavertail) Insert

REF: ART(25OR30)INS02





The IF-5 series is a beavertail, spatula-shaped insert. This tip is best for removing hidden calculus. Compatible withmost major brand magnetostrictive scalers.

CE and ISO certified

510K registered

Bonart Universal Metal Series Insert

REF: ART(25OR30)INS004





The P-100 series is a slim, external flow, insert with a metal grip. The slim tip is best for perio scaling of calculus on sensitive areas of the mouth. Water flows from an external tube above the tip. Straight (P-100), left (P-100L) and right-angled (P-100R) models available. Compatible with most major brand magnetostrictive scalers.

CE and ISO certified

510K registered



Ti-MAX Z SERIES TURBINES

Ti-MAX X SERIES TURBINES



Experience the outstanding power of NSK's new premium Ti-Max Z air turbine and remain at the cutting edge of dentistry

- 94-degree angled head enables easy access to the oral region
- Lightweight titanium body**
- Scratchproof DURAGRIP coating
- 2 head sizes: standard and miniature
- 4 Hole spray
- Compatible with all major manufacturers' couplings

RRP **£975**

Buy 3 Z SERIES TURBINES and get an extra 1 FREE

Available to fit NSK®, KaVo®, Sirona®, W&H® and Bien Air®



- Solid lightweight titanium body with DURACOAT®
- ISB® Ceramic ball bearings for quiet reliability
- Clean Head System reduces cross contamination risk
- Quattro water spray for effective cooling
- Cellular glass rod optics emit light at 25,000 LUX
- Available in 3 head sizes, torque, standard and mini

£694 EACH

Available to fit NSK®, KaVo®, Sirona®, W&H® and Bien Air®



NANO CONTRA ANGLES



These special models feature all the precision of the premium range, just smaller

- 10% smaller and lighter than previous models
- Ideal for implant and restorative procedures
- Combine with NLXnano electric motor for perfect balance

Buy 2 get an extra 1 FREE or an optic air motor FREE


nano Series (10% smaller and 3 year warranty)				
Speed /Type Model Order Code Price				
1:5 increasing	nano95LS	C1099001	RRP £1,276	
1:1	nano25LS	C1100001	RRP £1,061	
4:1 reducing	nano15LS	C1101001	RRP £1,149	
1:1 straight h/p	nano65LS	H1048001	RRP £944	

X CONTRA ANGLES

Comprehensive range of advanced optic and non-optic models

- Titanium body** 30% lighter than stainless steel
- Scratchproof DURACOAT® surface
- ** Only external body component is titanium

Buy 3 (OPTIC) get an extra 1 *FREE*









S-MAX NSK's advanced range of non-optic and optic handpieces

M TURBINES

Optic and non-optic turbines for all major couplings in 2 head sizes

- Stainless steel body
- 4 hole spray
- Head sizes Miniature or Standard



BUY ANY 3
OPTIC TURBINES
GET A COUPLING
OR PICO FREE

BUY 3 NON-OPTIC TURBINES FOR £999 + VAT

available on NSK®, KaVo® and W&H® connections

Pico

NSK's special Mi turbine



NSK

- Ultra mini head and slim body
- Ideal for minimally invasive (MI) procedures
- Requires short shank burs
- Models available for NSK, Kavo, Sirona, W&H and Bien-Air connections

Model	Price
pico	RRP £867

Order Code NSK® M600L P1002001 KaVo® M600KL P1006001 Optic M600SL P1010001 RRP £643 Sirona® W&H® M600WLED P1096001 M600BLED P1057001 Bien-Air® $\mathsf{NSK}^{\mathbb{R}}$ M600 P1004001 RRP £599 KaVo® M600K P1008001 Non-optic (Buy 3 for £999) P1210001 W&H® M600W

W&H® and Bien-Air® optic models feature an integral LED as opposed to inside the coupling

M CONTRA-ANGLES

Advanced optic and non-optic contra-angles

- Powerful cutting and superb grip
- Stainless steel body and reistant to scratching



Speed /Type	Model	Order Code	Price
1:5 increasing	M95L	C1023001	RRP £865
1:1	M25L	C1024001	RRP £701
4:1 reducing	M15L	C1025001	RRP £820
1:1 straight h/p	M65	H1008001	RRP £429

BUY ANY THREE AND GET AN EXTRA ONE FREE

AIR MOTORS

OPTIC - Ti-MAX X205L



Order Code	Price
M1013001	RRP £867

DynaLED M205LG self generating light



Order Code	Price
M4 - M1018001	RRP £867
B2 - M1019001	*** £007

NON-OPTIC S-MAX M205



Order Code	Price
M1007001	RRP £490





PANA-MAX TURBINES



Basic non-optic NSK turbines

Pana-Max 2 features a reinforced head with NSK bumper technology for added longevity and protetion of the cartridge

- Save time and money DIY cartridge change
- Enhanced power and endurance compared to previous models
- Easy to handle
- Slimline stainless steel body
- Thermo-disinfectable



PANA-MAX 2 (12 Month warranty)				
Pana-Max 2	Fitting	Head size	Order Code	Price
Direct	B2 (Borden)	Ø 11.2 x H13.4 mm	P1155001	RRP £328
Connection	M4 (Midwest)		P1154001	
Coupling	NSK®		P1211001	RRP £389
Connection	KaVo®		P1212001	*** £389

PANA-MAX PLUS (12 Month warranty)				
Pana-Max PLUS	Fitting Head size Order Code Price			Price
	B2 (Borden)	Access head	P1023001	
Direct	M4 (Midwest)	Ø10.6 x H12.5 mm	P1021001	RRP £349
Connection + 4 hole spray	B2 (Borden)	Torque head	P1024001	*** £349
٨	M4 (Midwest)	Ø12.1 x H12.5 mm	P1022001	

PANA-MAX PLUS QD (12 Month warranty)				
Pana-Max PLUS QD	Fitting	Head size	Order Code	Price
Coupling Connection + 4 hole spray	QD Coupling	Torque head Ø12.1 x H13.5 mm	P1016001	RRP £389

BUY ONE GET ONE FREE*

FX SERIES CONTRA ANGLES AND MOTORS

Basic non-optic NSK contra-angles and straight handpieces

- Stainless steel body
- No water
- Thermo-disinfectable
- Push button chuck for CA burs



BUY ONE



4:1 prophy FX57m C1054001

H1014001

RRP £211

FX65m

* Applies to handpieces only.

1:1 straight h/p

Mini Air Motor FX205M (non optic)

• Shorter, lighter air motor gives optimal balance and reduces fatigue during treatments



Fitting	Order Code	Price
B2	M1006001	RRP £330
M4	M1005001	OUR PRICE £229



SCALING

VARIOS 970 ULTRASONIC SCALER

The Varios range from NSK can be used for perio, endo, general and MI treatments. With a choice of over 70 tips there is always one to meet your needs.

Varios 970 LUX is supplied, as standard, with at win LED handpiece, 3 tips, 3 tip wrenches and an autoclavable container. The unit has 3 power ranges; Perio, Endo and General, that are easily selected by the push of a button.

Varios 970 non-optic

RRP £1.992.25

Varios 970 LUX

RRP £2,315.12



Ti-MAX S970L AIR SCALER

AS2000 AIR SCALER

The Ti-Max S970L and AS2000 have a comfortable grip, wide power range and are easy to maintain. They both offer an adjustable power range for efficient treatment of a variety of operations including powerful scaling, root canal irrigation and minimally invasive procedures.



S970L for NSK T1005001 RRP £1,097.10 S970L for KaVo® T1013001 RRP £1,097.10

S970L for Sirona® T1015001 RRP £1,097.10

AS2000 B2 T697001 RRP £419.20 AS2000 M4 T698001

RRP £419.20

ENDO-MATE TC2

Endo-Mate TC2 Y1001027 RRP £1,050.00



- Lightweight & cordless
- 5 programs for different file systems
- Supports most major Ni-Ti file brands
- Torque control facility ranging from 0.1 to 4.0 Ncm depending on head gear ratio
- Auto reverse and alarm function sounds an audible alert when preset torque level has been reached

ENDO-MATE DT

Endo-Mate DT Y141121 RRP £1,291.65



- Store up to 9 speed and torque settings
- Use with Ni-Ti files from most major suppliers
- Torque control from 0.1 to 6.5 Ncm depending on head gear ratio
- Auto reverse on, auto stop, auto reverse off
- Lightweight, user-friendly handpiece with low noise and vibration levels

iPFX II

iPEX II Y1002208 RRP **£730.80**




NSK's SmartLogic controller combines two advanced technologies to accurately analyse signals. iPex SmartLogic technology removes virtually all signal interference from the root canal itself to precisely detect the location of the apex.

Prophy-Mate NEO Air Polisher

- Compact and lightweight
- Includes 60° and 80°tips
- 360° rotation
- Packed in a handy case
- Includes sachets of FLASH pearl® that quickly removes stains and plaque
- dismantle for autoclaving

Perio-Mate Biofilm Eraser



- Ultra-fine water spray and Perio-Mate powder eradicate biofilm in just 20 seconds
- Smooth 360° rotation
- Flexible plastic nozzle tip for better access to difficult to reach areas

Product	Fitting/Size	Order Code	Price
Prophy-Mate NEO	Available for NSK®, KaVo®, Sirona®, W&H®, Bien-Air®	Y135029/30/ 31/32/33	RRP £899
FLASH Pearl®	Sachets 15g x 100	Y900693	RRP £151
FLASH Pearl®	Bottles 300g x 4	Y900698	RRP £110

FREE SECOND PROPHY-MATE HANDPIECE WORTH £342 OR A FREE NAC-EC CONTRA-ANGLE WHEN YOU BUY PROPHYMATE NEO

Product	Fitting/Size	Order Code	Price
Perio-Mate	Available for NSK®, KaVo®, Sirona®, W&H®, Bien-Air®	Y1002654/ 55/56/57/58	RRP £1,024
Perio-Mate Powder (Glycine based)	Sachets 100g x 4	Y900938	RRP £77
Perio-Mate Tip Nozzles	x 40	Y1002741	RRP £79

SAVE £447 BUY BOTH PERIO-MATE & PROPHY-MATE NEO FOR £1,465

SURGERY



Main Attributes of the **MONT BLANC®** range

- COAT® Surface Treatment optimised surface durability and enhanced comfort in-hand
- LED Technology
 Daylight quality lighting and more of it
- Optimum ergonomics
 Profiled design for greater comfort and perfect angulation for improved access
- Easy Maintenance
 Dismantle easily and quickly for effective deep cleaning and sterilisation
- Reliability and powerful no vibration feedback even under stress with greater longevity
- Thermo-disinfectable and sterilisable in autoclave at 135°





anthogyr



MONT BLANC® GENERAL DENTISTRY RANGE: CONTRA-ANGLES

- The smallest head available on the market: 13.75mm (1:5)
- Ceramic bearings (1:5)
- Quadruple spray
- Silent and light-weight
- COAT® Surface Treatment
- Ergonomic design

		Light	Sproy *	4 Ceromic bearings
1:5	Ref 10000XL Ref 10000X	•	•	•
	Ref 10200XL Ref 10200X	•	•	
5:1	Ref 10300XL Ref 10300X	•	•	
	1:5 bur Ø 1.6 F	G		

bur Ø 2.35



STRAIGHT HANDPIECES

- Sturdy and reliable
- For long and short burs with \emptyset 2.35mm

Ref 4330D Ref 4756

40,000 RPM

bur Ø 2.35

£194.18









ENDODONTIC CONTRA ANGLE WITH DECLUTCHING SYSTEM



ENDODONTIC CONTRA ANGLES





GENERAL

AUTOMATIC CROWN AND BRIDGE REMOVER


SAFE RELAX®

• **Unique** - non reloading mechanism

• Fastest system in the world: up to 20 micro-strokes per second

• Patient friendly: stressless as no resonance is felt

· One click single attachment system



Ref 6961C Complete kit SAFE RELAX + 4 hooks + 2 single and 1 double wire-tips

Ref 6950C Kit SAFE RELAX + 4 hooks

Ref 5932 Sterilisation box for hooks and wire-tips

FROM **£299.00**

AMALGAM CARRIERS

AMALGAM MASTER

· Technical and ergonomic amalgam carrier in stainless steel

• Fixed or truning handle, in the desired position

 Calibrated and perfect adjustment between the tip and the piston preventing amalgam from entering the pushing mechanism and causing the instrument to seize

Fixed tip and poston are made from high resistance titanium

Ref 1500F Medium Ø 2mm - Blue Ref 1510F Large Ø 2.5mm - White Ref 1520F Jumbo Ø 3mm - Red

£69.50

Accessories

Ref 1545-20F Complete pushing system with tip \varnothing 2mm Ref 1545-25F Complete pushing system with tip \varnothing 2.5mm Ref 1545-30F Complete pushing system with tip \varnothing 3mm

£19.50



The Midmark Newmed range of Class B, S and N sterilisers, from 6 to 60 litres, are the most reliable on the market. Standard features include automatic fail safe door closing, reversible tray holder to accommodate both trays and cassettes and an optional data logger. An integral printer records all key parameters of the sterilisation cycle in line with HTM01-05 requirements. Pre-programmed cycles and fast cycle times ensure rapid throughput and help avoid bottlenecks in your instrument workflow.

Look out for the MIDMARK marque



Midmark is one of world's largest manufacturers of Dental, Medical and Veterinary equipment and has a reputation built on design, craftsmanship and quality. Based in Ohio, USA, they operate worldwide with offices in the Europe and the Far East. With national manufacturer-trained engineering support the excellence of their complete product offering is undeniable and they will make a difference.



MECTRON SCALERS



2 bottles and caps

£1816.96 + VAT

MEC- 05060024E Multipieo Touch - Perio

Eqipped with LED handpiece, S1, S6, P10, P11, P12 inserts, ICS, 5 x ICI, tipholder, 2 bottles and caps and K6 wrench

OUR PRICE

MEC-05080005 Micropiezo S

Eqipped with Handpiece, S1, S2, S3, S6 inserts and wrench

OUR PRICE

£721.30 + VAT

£1999.57 + VAT

MEC-03140002 Prophylaxis Powder (2 bottle pack 256 grams each) - £25.57 + vat MEC-03140006 Glycine Powder (2 bottle pack 100 grams each) - £31.04 + vat

STARLIGHT PRO CURING LIGHTS

OUR PRICE **£447.39** + VAT

MEC-05100083 Starlight Pro - Shiny White

MEC-05100085 Starlight Pro - Shiny Yellow

MEC-05100086 Starlight Pro - Matt Black

MEC-05100087 Starlight Pro - Silver

MEC-05100084 Starlight Pro Ortho - Blue



PRIME LINE



Max. 55dB

Quiet like no Other!



Now Only £379 + vat

two year warranty

- Prime Grip
- * Titanium Coating
- Push Button System
- * Premium Spindle with Carbide Insert
- Ceramic Bearings
- Glass Rod Light Conductor
- Pressure Reduction System
- Non-Return Valves

Available in the following versions:

	HP21KL	HP22KL
Head Size	Standard	Small
Light	•	•
Power (watt)	22W	18W
Spray System	4-Hole	3-Hole
Connection	KaVo® Multiflex®	KaVo® Multiflex®





The Classic for relaxed working

Feel the Advantage!



- Classic Grip
- Chrome Coating
- Push Button System

- Premium Spindle with Carbide Insert
- Ceramic Bearings
- Glass Rod Light Conductor

	HC21KL	HC21K	HC22KL	HC22K
Head Size	Standard	Standard	Small	Small
Light	~	-	>	-
Power (watt)	20W	20W	18W	18W
Spray System	4-Hole	4-Hole	3-Hole	3-Hole
Connection	KaVo® Multiflex®	KaVo® Multiflex®	KaVo® Multiflex®	KaVo® Multiflex®
Price	£349	£289	£349	£289

Now also with Multiflex® Connection

ECO LINE

High Flexibility, low price!



- Smooth Grip
- Chrome Coating
- Push Button System

- Spindle with Steel Insert
- Ceramic Bearings
- Glass Rod Light Conductor

	HE11	HE12	HE21K	HE21KL
Connection	Borden	Midwest	KaVo® Multiflex®	KaVo®Multiflex® plus light
Price	£169	£169	£229	£289

PROPHY LINE

Light-weighted, efficient, universal

Our novelty, the Prophy Line, is an air-driven dental polishing device that is especially designed for your needs. It is smooth and easy to handle. The whole instrument is very compact and light-weighted, that makes the Prophy Line easy to use. The outer handle is rotated 360° and the unique RotaGrip@ allows you due to an almost zero resistance rotation, a very simple and fatigue-proof operation. The Prophy line is compatible with most popular quick-coupling systems, and is therefore universally applicable. Care and maintenance are simple. The Star Powder is very efficient in the removal of coatings and this comes in mint, lemon and strawberry flavours.



K-dent







PP1011 - Prophy Powder

Prophylaxis cleaning powder for use with Prophy Line and other Air-Flow Handpieces.

Flavour: Mint, Lemon, Strawberry

Content: 300g



ONLY







COUPLINGS









KaVO/MK-Dent Style

QC6016KW - Water Adjuster/LED	£189
QC6016K - LED	£149
QC4014K - Midwest	£79
QC4012 - Borden	£79

W&H Style

QC5016W - Optic	£125
QC4014W - Non Optic	£79

NSK Mach Style

QC6016NT - LED	£99
QC4014NT - Non Optic	£79

Sirona Style

QC6016S - Optic	£149
-----------------	------





ISO-Standard / INTRAmatic compatible









LP11L - Contra Angle Handpiece With Light

Titanium-coated, Max. 40.000 Rpm, Transmission 1:1, Blue Glass Rod Light Conductor

OUR PRICE

LPH11 - Contra Angle Head for Contra Angle Burs

Titanium-coated, Max. 40.000 Rpm, Transmission 1:1, Blue Pushbutton System. Suitable for LS2011/L, LS3011/L, LS3027/L, LS3074/L. KaVo* compatible

OUR PRICE \$1.59

LP27L - Contra Angle Handpiece with Light

Titanium-coated, Max. 40.000 Rpm, Reduction 2,7:1, Green Glass Rod Light Conductor

OUR PRICE **C350**

LP74L - Contra Angle Handpiece with Light

Titanium-coated, Max. 40.000 Rpm, Reduction 7,4:1, Green Glass Rod Light Conductor

OUR PRICE

LPH21 - Contra Angle Head for Contra Angle Burs

Titanium-coated, Max. 20.000 Rpm, Reduction 2:1, Green, Pushbutton System. Suitable for LS2011/L, LS3011/L, LS3027/L, LS3074/L, KaVo* compatible

OUR PRICE \$159

- Complete1:1 Handpiece
- Internal Water
- Amazing Value

LE11L - Optic 1:1 Contra-angle	OUR PRICE £279
LE11 - Non-Optic 1:1 Contra-angle	OUR PRICE £229
LE21L - Optic 2:1 Contra-angle	OUR PRICE £279
LE21- Non-Optic 2:1 Contra-angle	OUR PRICE £229
LE01 - Non-Optic Straight	OUR PRICE £199
LE01L - Optic 1:1 Straight, Internal water	OUR PRICE £279



BORA LED



TRIPLE PACK **BORA LED TURBINES**

INCLUDING FREE COUPLING

£1,380 + VAT

Ref 6200207





TRIPLE PACK **BORALINA TURBINES**

FREE COUPLING

£840 + VAT

Ref 6200115 - 001 3 HOLE COUPLING Ref 6200116 - 001 4 HOLE COUPLING

BLACK PEARL ECO

BPE B3

Borden or Midwest BPE M4

only £176 + VAT







Micro-Series - Welcome to a new dimension

Perfect balance and handling, exceptional power and control, uniquely versatile. The Micro-Series micromotors, contra-angles and handpieces redefine the standards for dental instruments. The Bien Air Micro-Series brings together new LED micromotors and the new generation of ultra-short contra-angles and handpieces. The result is a combination which is up to 30% shorter and 23% lighter than previous generation models, while still offering the power and control of the best electric micromotors on the market.



6200195-001 - CONTRA ANGLES CA 1:1 L MICRO-SERIES* DUOPACK

£995 + VAT

compromises:

2 x CA 1:1 L Micro-Series

Direct drive, Light via dual optical glass rods, push-button bur locking, bur shank Ø 2.35mm,manti-retraction valve. Compatible with Micro-Series micromotors.

OUR PRICE £1,150 + VAT



compromises: 2 x CA 1:5 L Micro-Series

Speed increasing factor of 5. Light via dual optical glass rods, push-button bur locking with anti-heating system, bur shank \varnothing 1.6mm, anti-retraction valve. Compatible with Micro-Series micromotors.



MOTORS MCX LED



BIEN AIR PREMIUM QUALITY ELECTRIC MOTORS FROM ONLY **£445** + VAT

MC3 LED

Micromotor with brushes, 60 - 40,000 rpm, LED light and internal spray, Removable sleeve.

Compatible with E type connection and compliant ISO 3964 and Micro-Series instruments.

MG2

Isolite LED

The MC2 micromotor: Swiss made design and manufacture at an attractive price.

Now also available with intensity-adjustable LED light.






OPTIMA

OPTIMA MCX

NOW £775 + VAT

- Convert any Dental Unit from an Air to Electric Micromotor!
- Just connectan existing turbine hose to the Optima
- No engineer or installation required
- Call 01253 404774 for a FREE Demonstration

Ref 1799595-001 WHITE Ref 1799597-001 PASTEL ORANGE Ref 1799599-001 PINK




















- Highly advanced high frequency DC technology
- Smallest available focal spot tubes, 0.4mm
- Faster exposure times and greater image clarity
- Greater compatibility with digital sensors
- Industry leading 'ultra-stable' arm in 4 different lengths to suit your surgery needs
- Smooth positioning and zero drift once in place
- Tube head handle facilitates movement control
- Options to vary all image parameters independently
- Cable free integration with Progeny ClearVision™ sensors and any other USB based sensor*
- * WIP



ELEVANCE®

- OUTSTANDING BUILD QUALITY
- LOWER MAINTENANCE COSTS
- DESIGNED TO IMPRESS.

Contact us for further information

Elevance[™] is attractive and built to last with **minimal maintenance** and a **low cost of ownership**. Years of experience in the dental industry mean that everything has been thought through, from the direction of stitching on the upholstery to the ease with which patients get on and off the chair. A powerful hydraulic system and comprehensive cast aluminum backrest will comfortably support patients weighing up to 32 stone. And while it is very sturdy, the surprisingly thin backrest allows optimal patient access and an ergonomically correct working posture. For longer procedures or even nervous patients there's also a back massage function that is so comforting they might not want to get off!



SOLARA



Solara® QT High-Speed Handpiece

- More than 20% lighter than any handpiece on the market means it delivers less wrist and finger stress and fatigue.
- · Lightweight design requires less gripping strength
- Smooth gripping area avoids creating any pressure points
- Mini head designs means improved line of sight
- Neck designed specifically for smaller fingers
- LubeFree ceramic bearings are more than 50% lighter that the lubricated stainless stell bearings used by some competitors
- Engineered for more watts at peak power when you need it mos

(RRP £775) OUR PRICE **£697.50**



430 SWL Classic Handpiece

Convert your practice to the reliable performance of the 430 handpiece without replacing your Multiflex® swivels.

- Faster, less costly conversion.
- Better performance
- Satin finish
- Fibre optic







TITAN BLISSONIC SCALER

The Titan BlisSonic SW and K are portable air powered sonic scalers, available in Swivel, Borden and Midwest connections.

£525 EACH

The clinically proven BlisSonic Scaler design effectively removes hard calculus deposits and stains.

Scalers come complete with five exclusive tips which work gently and effectively on patients with implants and veneers



TITAN SCALING TIPS



TITAN COUPLINGS



STAR SWIVEL COUPLING AVAILABLE IN BORDEN/MIDWEST

£105 FACH



STARBRIGHT LED COUPLING
LASTS TEN TIMES LONGER THAN HALOGEN

£295 EACH

CURING LIGHTS



LUX.E

- Wireless. The battery can be replaced.
- Three working modes: Full, Ramping, Pulse.
- Time settings: 5s, 10s, 15s, 20s.
- Large capacity battery. A full charge can be used for more than 400 times continuously under 10s working time mode.
- Low standby power consumption with forty days' standby time.
- Constant light intensity. The solidification effect is not effected by the consumption of remaining power.

Spare Fibre Rod

• Fits any of our curing lights

• 8mm tip - Black







DPEX I - Apex Locator

- Equipped with clear bright LCD, clear image and different colour indicate the trajectory of the file clearly.
- Based on advanced multiple frequency network impedance measurement technology and automatic calibrating ensures the measurements are accurate.
- Autoclavable file clip, file hook, file probe. Avoiding cross infection effectively.
- When doing the measurement, the changes of the sound can indicate the position of the file in the root-canal.

Technical Details;

Power: 3 pieces AAA alkaline batteries
Power consumption: ≤0.3W

Screen: 4.9"LCD Main unit weight: 395g Dimensions: 105mm×142mm×40mm



DPEX III - Apex Locator

- Equipped with clear bright LCD, clear image and different colours indicate the trajectory of the file clearly.
- Based on advanced multiple frequency network impendance measurement technology and automatic calibrating ensures the measurements are accurate.
- The accessories of the "WOODPEX III" can be autoclaved under high temperature and high pressure.
 Avoiding cross infection effectively.
- The battery is rechargeable, no need to replace the battery repeatedly.
- Folding, easy to adjust the visual angle.







NEW PT MASTER™3

- 2 Detachable LED handpieces
- Removable water bottle
- 8 Periodontal treatment tips
- Water control switch
- Smart touch technique system
- Smart power indicator
- Automatic water supply
- High flexibility cable

D5 LED

- Detachable handpiece with light, better visibility and autoclavable
- Scaling, perio, endo
- Automatic frequency tracking
- Four colours optional

Power input:

110V ~ 50Hz/60Hz 220 - 240V ~ 50 Hz/60Hz

Main unit input: Output power: Frequency:

3W to 20W $28kHz \pm 3kHz$ 0.1bar to 5bar

Main unit weight: Adapter weight:

Water pressure:

Dimensions: 188mm x 159mm x 81mm

(0.01MPa to 0.5MPa) 0.65Kg 1.2Kg

 $24V \sim 1.3A$















D7 LED

- Detachable handpiece with light, better visibility autoclavable.
- Scaling, perio, endo.
- Clinical solutions are made applicable for automatic water supply mode, improving the performance or perio and endo function dramatically.
- Less heat from tip during operation. Improved comfort degree of patients.

110V ~ 50Hz/60Hz Power input:

220 - 240V ~ 50Hz/60Hz

 $24V\sim 50 Hz/60 Hz~1.3 A$ Main unit input:

3W to 20W Output power: Frequency: $8kHz \pm 3kHz$ Main unit weight: 1.35Kg Adapter weight: 1.2Kg

237mm x 206mm x 95mm Dimensions:





















LED DTE HD-7L

OUR PRICE £119



LED WOODPECKER HW-5L

OUR PRICE £119







EMS01 - WOODPECKER HW-3H



COMPATIBLE WITH EMS & SATELEC

EMS03 TORQUE WRENCH NO. 1

EMS02 TIP HOLDER

EMS05 TORQUE WRENCH NO. 2

EMS06 FLAT WRENCH









OUR PRICE **£7.50**



©UR PRICE **£7.50**

Used for EMS | Woodpecker DTE | Satalec

SCALER TIPS

Scaling **Periodontics** G1 Used to remove calculus plaque on supragingival, neck of teeth and hard calculus on P1 Used to remove subgingival calculus. the teeth point. P3 Used to remove subgingival and deep perio G2 Used to remove supragingival heavy calculus. calculus. G3 Used to remove the calculus of P4 Used to remove subgingival calculus and supragingival, subgingival and interdental. interdental calculus. G4 Used to remove all supragingival calculus and P3D Used to level off the surface of endo during plaque. the periodontal falp surgery. G5 Used to remove supragingival neck calculus P2L Left-angled, to remove calculus from very and plaque. narrow inter-root spaces and furcation. P2R Right angled, to remove calculus from very G6 Used to remove supragingival heavy calculus. narrow inter-root spaces and furcation. P2LD Left-angled, diamond coated, to remove G7 Used to remove dental crown. calculus from very narrow inter-root spaces and furcation. P2RD Right-angled, diamond coated, to remove G8 Used to remove dental crown, with apoore. calculus from very narrow inter-root spaces and furcation. Endodontics - Used for EMS | Woodpecker | DTE | Satalec E1 (120° Angle Holder) for: NITI K-Files, usually E8 Burs holder, used to expand root canal and used for premolar root canal cleaning, sterilising grind teeth. and taking out the stem in root canal. E2 (95° Angle Holder) for: NITI K-Files, usually E9 Burs holder, used to expand root canal and used for distomolar root canal cleaning, sterilising arind teeth. and taking out the stem in root canal. E3 After root canal cleaning, using the mechanism and heat energy of ultrasonic vibration to intenerate E10 Used for root canal softly treatment. the filling lateral condensation, to make sure the top of the scaler tip touch the lateral condensation. E10D Used for the root canal retrogression, E3D Used to remove the calcification and bad efficient root apical polishing (diamond coated). filling material of pulp cavity, overhang pulp P4D Can replace the traditional G reamer, used E11 Used for root canal softly treatment. for preparing good endo jaws. E4 To remove obstructions and broken instruments E11D Used for the root canal retrogression, in the mid-upper thirds of large and straight canals. efficient root apical polishing (diamond coated).

E4D Diamond-coated, for retreatments of

E5 To remove calculus and removing temporary

E5D Diamond-coated, with enhanced cutting

and abrasive power laterally. Specially useful for

removing very hard materials on the canal wall

cements and broken instruments in the coronal third.

extremely hard materials.

NITI K-File

£15 PER 6 PIECE SE



Tip with excellent tenacity is used for root canal cleaning.

File Size: 15mm, 20mm, 25mm, 30mm Handpiece size: 0.68mm~0.71mm

K-file taper: 2%

Each kit comes with six pieces

SCALER TIPS

Scaling - Used for Sirona

GS1 Used to remove calculus and plaque on supragingival, neck of teeth and hard calculus on the teeth point. GS2 Used to remove supragingival heavy calculus.


GS3 Used to remove the calculus of supragingival, subgingival and interdental calculus and plague.

GS4 Used to remove all supragingival calculus and plaque.

GS5 Used to remove supragingival neck calculus and plaque.

GS6 Used to remove supragingival heavy calculus.

Periodontics - Used for Sirona



Periodontics - Used for KaVo



PC1 Used to remove subgingival calculus. Suitable for: Piezo Lux, Sonosoft

Endodontics - Used for Sirona

ES1 (120° Angle Holder) for: NITI K-Files, usually used for anterior root canal cleaning, sterilizing and taking out the stem in root canal.

ES2 (95° Angle Holder) for: NITI K-Files, usually used for anterior root canal cleaning, sterilizing and taking out the stem in root canal.

ES3 After root canal cleaning, using the mechanism and heat energy of ultrasonic vibration to intenerate the filling lateral condensation, to make sure the top of the scaler tip touch the lateral condensation.

ES3D Used to remove the calcification and bad filling material of pulp cavity, overhang pulp chamber.

> PS4D Can replace the traditional G reamer, used for preparing good endo jaws.

ES8 Burs holder, used to expand root canal and grind teeth.

Scaling - Used for KaVo

)	GK1 Used to remove calculus and plaque on
/	supragingival, subgingival interdental calculus.
Ú	Suitable for: Sonicflex
)	GK2 Used to remove supragingival, subgingval
	and interdental calculus and plaque.
6	Suitable for: Sonicflex
	GK3 Used to remove supragingival, subgingival
/	and interdental calculus and plaque.
- 1	Suitable for: Sonicflex
\	GK4 Used to remove supragingival, subgingival
	and interdental calculus and plaque.
á	Suitable for: Sonicflex
	GC1 Used to remove supragingival subgingival
	and interdental calculus.
A	Suitable for: Piezo Lux, Sonosoft
	GC2 Used to remove supragingival subgingival
	and interdental calculus.
â	Suitable for: Piezo Lux, Sonosoft
0	EK8 Burs holder, used to expand root canal and
	grind teeth.
	Suitable for: Sonicflex

BARGAIN BASEMENT



NSK NAC-EC

Slow speed handpiece Contra angle Ratio 1:1 Latch style head 12 month warranty OUR PRICE **£85**



NSK FPB-EC

Slow speed handpiece Contra angle Ratio 1:1 Pushbutton head 12 month warranty OUR PRICE £125



DELMA MC005 - AIR MOTOR

Air motor
Borden or Midwest connection
Adjustable forward and reverse drive
Up to 20,000 rpm



DELMA MC004 - STRAIGHT

Ex style straight handpiece Ratio 1:1 HP Burs OUR PRICE **E59.50**



DELMA HIGH SPEED HANDPIECE

Push button Standard size head 400,000 rpm Complete with QD-J coupling E99



MKDENT AIR MOTOR AM1004


Up to 20.000 rpm
4 Hole Midwest connection
Internal water
Adjustable forward and reverse drive
Guided interior separate coolants
Extra long life through quality components
Easy to maintain



CALL or CHECK ONLINE for all the latest KaVo offers



EXPERT SERIES





CALL or CHECK ONLINE for all the latest KaVo offers

SMART SERIES

The instruments of KaVo Smart Series provide excellent basic features with KaVo quality at entry level prices.

THe high torque of the turbines of up to 16 watts and KaVo safety standards, such as up to 30N chuck retention force, ensure swift and safer working.

The fine tuning of the instruments to each step of cavity preparation, as well as the high quality workmanship, are persuasive arguments in combination with the high quality that has made KaVo the worldwide market leader





10E INTRAmatic 1:1 STRAIGHT HANDPIECE

1.003.6977

RRP £179



20E INTRAmatic 1:1 CONTRA ANGLE

1 • 003 • 6977

RRP £194



31ES INTRAmatic 4:1 PROPHY CONTRA ANGLE

1.003.1109

RRP **£204**

CALL or CHECK ONLINE for all the latest KaVo offers



SPECIALITY

SONIC flex 2000N RRP £870 OUR PRICE £388



CALL or CHECK ONLINE for all the latest KaVo offers

MAINTENANCE

LU1011- MK Dent Premium Service Oil

£14.40

Z182100 - NSK PanaSpray

LU1022- MK Dent Quattrocare Oil £18.00


Using MK Dents Premium Service Oil instead of standard mineral oil will increase the

life span of your instruments dramatically. No residue build-up, pleasant spearmint smell, works with any type of handpiece and is economical.

PanaSpray Plus is a specially formulated, highly effective, general handpiece and air

motor lubricant and cleaner. Constant use of PanaSpray Plus will help to maintain performance and extend product longevity

Premium Service Synthetic Oil, 500ml Spray Can. Special use for KaVo QUATTROcare system. Far Superior



Lubrication Adaptors to fit all spray cans to suit all handpieces

























KAVO LT1012

SIRONA LT1017

SLOW SPEED LT1013

H&W LT1018

NSK CH-QD LT1019

NSK MACH LT1020

MIDWEST LT1014

STAR LT1021

BIENAIR LT1023

1600064-006

Bien Air Lubricant suitable for all handpieces 500ml



1600036-006

Bien Air Disinfectant cleaning spray 500ml



ASSISTINA

MK Dent Cleaning Oil

10083805 - KaVo Quattrocare

- Very easy to use.
- Four handpieces in 1 minute.
- High efficiency.
- Integrated check care program.
- Program controlled, automatic care process.
- Adaptors available for all established brands
- Modern and ergonomic design



KaVo Spray











BIEN AIR LUBRICARE

Quick, simple and economic - this perfectly sums up the Lubricare maintenance device, when used with Bien-Air's Spraynet and Lubrifluid products, with each spray specifically designed for a phase in the maintenance cycle: Spraynet, for dissolving impurities and cleaning the instrument both inside and out, and Lubrifluid, for effective lubrication of instruments. Lubricare and Bien-Air maintenance sprays support the daily use of your instruments, guaranteeing impeccable maintenance, optimal operation and an extended service life.

Ref. 1600915-001

£1,595



NSK iCARE

iCare sets a new standard for handpiece maintenance systems. In one stylish and compact body, it offers you both ease of use and multiple functions to acheive complete cleaning and lubrication. The proper solution volume is preset based on handpiece type, and maintenance can be initiated at the touch of a button. The chuck cleaning system keeps chucks pristine, and the purging select model lets you alter purge time depending on the situation for tyrly comprehensive maintenance.

Thanks to its stylish and compact body, iCare is also apace efficient and totally in harmony with your working environment.

OUR PRICE £1,848



NSK iCARE +

Automatic System for Cleaning, Disinfecting and Lubricating Rotary Instruments iCare+ allows cleaning and disinfection of up to 4 high and low speed rotary instruments made either by NSK or most other brands available on the market.

During the cycles, the instruments are being cleaned

and disinfected internally and externally prior to being lubricated. Autonomy, Safety, Efficiency and Speed, the complete cycle in less than 15 minutes.

£4,455



NSK iCLAVE HP

iClave HP is a high performance class B autoclave designed for rapid and safe sterilisation of handpieces. Thanks to the exclusive "Adaptive Heat" heating system, iClave HP enables fast sterilisation without damaging the micro-mechanisms of the handpiece.

- Fast Guarantees rapid sterlisation of 12–18 minute cycles, including drying
- High Performance Can sterilise 12 wrapped / 18 unwrapped handpieces
- Gentle Due to the special heating system, the iClave HP reduces the risks of thermal jumps and provides a more gentle sterilisation cycle without the risks of damaging the handpieces
- Validation The sterilisation cycle is in compliance with the European Norm EN 13060 and cycles can be easily validated

OUR PRICE **£4,455** + VAT



ACTEON

NOW AVAILABLE



0845 340 2293 www.mcdental.co.uk



MC Dental Equipment Ltd Unit 11 Avroe Crescent Blackpool Lancashire FY4 2DP